Response to Office Action dated: 4/09/2008 HBH Docket No.: 60046.0067US01

Amendments to the Claims

This listing of claims will replace all prior versions, and listing, of claims in the application:

 (Currently Amended) A method for interpreting time data received from a server eomputer management device, the method comprising:

setting a real time clock on the <u>server</u> management device to Greenwich Mean Time, wherein the <u>server</u> management device is implemented in hardware communicatively connected to a server computer <u>and wherein the real time clock is operative to maintain a time for the server management device</u>;

receiving data associated with the server computer from the <u>server</u> management device at a remote computer;

determining from a format of the received data whether the received data includes time data:

in response to determining that the received data includes time data, converting the time data from Greenwich Mean Time to a local time;

replacing the time data in the received data with the converted local time; and displaying the received data.

(Currently Amended) The method of Claim 1, wherein setting the real time clock
on the <u>server</u> management device to Greenwich Mean Time comprises receiving a local time,
converting the local time to <u>a</u> Greenwich Mean Time, and issuing a command to the <u>server</u>
management device to set the real time clock to <u>the</u> Greenwich Mean Time.

(Canceled)

(Currently Amended) The method of Claim [[3]] 1, wherein displaying the
received data comprises displaying the received data at the remote computer.

Serial No.: 10/790,442 Response to Office Action dated: 4/09/2008

HBH Docket No.: 60046,0067US01

 (Original) A computer-readable medium having computer-executable instructions stored thereon which, when executed by a computer, will cause the computer to perform the method of Claim 1.

(Original) A computer-controlled apparatus capable of performing the method of

Claim 1

7-11. (Canceled)

- (Currently Amended) An apparatus for setting the a real time clock of a computer management device and for receiving and displaying time data from the computer management device, the apparatus comprising:
 - a central processing unit; and
- a memory having stored thereon an operating system for execution on the central processing unit, a web browser for execution on the operating system, and a plug-in module for execution in conjunction with the web browser, the plug-in module operative to receive a request to set the real time clock of the computer management device, to receive a current local time, to convert the current local time at the remote computer to Greenwich Mean Time, and to issue a command to the computer management device to set the real time clock to Greenwich Mean Time, wherein the real time clock is operative to maintain a time for the computer management device.
- 13. (Original) The apparatus of Claim 12, wherein the web browser is operative to connect to the computer management device and to receive health information from the computer management device, and wherein the plug-in module is further operative to analyze the health information to determine whether time data is contained therein, to convert the time data from Greenwich Mean Time to a local time in response to determining that time data is contained therein, and to replace the time data with the converted local time.
- (Original) The apparatus of Claim 13, wherein the web browser is further operative to display the health information including the converted time data.

Serial No.: 10/790,442 Response to Office Action dated: 4/09/2008

HBH Docket No.: 60046,0067US01

15. (New) A system for setting a real-time clock on a redirection device and converting time data received from the redirection device comprising:

a redirection device operatively connected to a server computer and comprising a realtime clock operative to maintain a time for the redirection device, the redirection device operative to:

receive a command to set the real-time clock to a specified GMT time value, in response to receiving the command, set the real-time clock to the specified GMT time value.

monitor operation of the server computer to compile health data, the health data comprising one or more health management events and a GMT time at which each of the health management events occurred retrieved from the real-time clock; and

a web browser plug-in module executing on a remote computer communicatively connected to the redirection device, the web browser plug-in module operative to:

send a command to the redirection device to set the real-time clock to the specified GMT time value,

retrieve the health data from the redirection device.

upon retrieving the health data, determine whether the health data includes time data.

upon determining that the health data includes time data, convert the time data from the GMT time to a local time, and

replace the time data in the health data with the converted time data.

- 16. (New) The system of Claim 15 wherein the health management events comprise one or more of a temperature event, a hardware parameter event, a fan speed event, or other event regarding the operation of the server computer.
- 17. (New) The system of Claim 15, wherein the redirection device is further operative to receive video output of the server computer, compress the video output, and transmit the video output to the web browser plug-in module.

Serial No.: 10/790,442

Response to Office Action dated: 4/09/2008

HBH Docket No.: 60046.0067US01

18. (New) The system of Claim 15, wherein determining that the retrieved health data includes time data comprises searching the retrieved health data for data formatted in a manner likely to indicate that it is time data.

- (New) The system of Claim 18 wherein the time data is formatted in a manner consistent with one of a "HH:MM" format and a "HH:MM:SS" format.
- (New) The system of Claim 15, wherein the web browser plug-in module is further operative to display the health data including the converted time data.